

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 1
 Release : V2R7M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
2M70ALL	Cumulative PTF Package Last Updated 2018/11/07		
2M70001	SM1 Minor Ensum Editorial Change o Minor Enhancement Summary Correction.	07/15/13	2M70011
2M70002	SM1 Minor Manual Editorial Change o Minor manual update to MSG() help and line break explanation.	07/15/13	2M70011
2M70003	NLS New Function o Added new function to resolve ccsid of a spooled file from its attributes.	07/15/13	2M70013
2M70004	SAM Update Processing o Add processing to account for SRCCCSID(*SPLF)	07/15/13	2M70009
2M70005	SM1 Update Processing o Add processing to account for SRCCCSID(*SPLF)	07/15/13	2M70034
2M70006	SM1 SNDSPLMAIL Enable SRCCCSID(*SPLF) o A new special value, *SPLF, has been added to the coded character set id (SRCCCSID) parameter. When specified, the spooled file's attributes are inspected to determine its CCSID. This is beneficial on systems that support multiple languages.	07/15/13	2M70010
2M70007	SM1 Help Update o Help update for SRCCCSID(*SPLF).	07/15/13	2M70011
2M70008	TXT New Function o Added processing to optionally blank pad each line to the width of the spooled file. Previously only blank trimmed processing was supported.	08/23/13	
2M70009	SAM Enable New Function o Enable txt blank padding.	08/23/13	
2M70010	SM1 New *TXTTRIMFL Transform Added o New transform *TXTTRIMFL was added. Processing is identical to transform *TXTTRIM, with one exception. Each line is padded with blanks to the full width of the spooled file.	08/23/13	
2M70011	SM1 Panel Update For *TXTTRIMFL o Help and manual updated for *TXTTRIMFL.	08/23/13	
2M70012	SM1 Enable *TXTTRIMFL Extension o Enable default extension for *TXTTRIMFL.	08/23/13	2M70034
2M70013	NLS *JOBDFE Incorrectly Resolved o Special value *JOBDFE incorrectly resolved to job ccsid, not job default ccsid.	08/23/13	
2M70014	FNT FGID Height Override Honored	07/15/13	2M70044

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 2
 Release : V2R7M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status Date</u>	<u>Superseded By</u>
	<ul style="list-style-type: none"> o For fonts identified by an FGID which has an implied height, height overrides were ignored. Overrides are now applied. 		
2M70015	PDF No Password Encryption Error <ul style="list-style-type: none"> o Addition of AES256 encryption introduced error when document restrictions specified with no password. The document asks for a password when opened. Error is corrected. 	07/15/13	2M70045
2M70016	PID RTVGSIPTF Fails At Load/Apply <ul style="list-style-type: none"> o Incorrectly declared variable prevented RTVGSIPTF command from loading and applying PTFs. 	07/15/13	2M70042
2M70017	SM1 Spooled File Option Example Added <ul style="list-style-type: none"> o An additional example program has been added to SMSOURCE. The example program, SPLSM1OPT, can be registered as an exit program to implement a custom option for IBM's WRKSPLF, WRKOUTQ and WRKJOB OPTION(*SPLF) commands. Any and all SNDSPLMAIL parameters can be tailored to suit. See the source member for details. 	07/15/13	2M70018
2M70018	SM1 Spooled File Option Example Correct <ul style="list-style-type: none"> o Typographical error corrected in SPLSM1OPT. 	08/23/13	
2M70019	FNT DBCS Scalable FGIDs Corrected <ul style="list-style-type: none"> o DBCS fonts identified by FGIDs 53248, 53249 (Japanese), 54563, 54568 (Traditional Chinese), 54565, 54566, 54567, 54568 (Simplified Chinese), and 54560, 53816 (Korean) were incorrectly treated as not scalable, resulting in improper font sizing. 	08/23/13	2M70044
2M70020	PDF Incorrect Overlay Clipping <ul style="list-style-type: none"> o Objects in overlays were incorrectly clipped to the overlay's extent. This caused missing data on the page in the case where an object extended off the edge of the overlay. 	07/15/13	2M70045
2M70021	SND Implement *USRPRF: Addressing <ul style="list-style-type: none"> o New special value for email address parameters, *USRPRF, has been added. *USRPRF is used to specify a user profile name that supplies an email address. The correct form is: *USRPRF:NAME where NAME is a user profile. The directory entry associated with the user profile is identified and the email address it 	08/23/13	2M70047

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 3
 Release : V2R7M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
	contains is used.		
2M70022	PDF Occasional Missing Unicode Map <ul style="list-style-type: none"> o Unicode character maps were ommited when the spooled file contained both type 1 and type 3 fonts and only type 3 were imbedded. The The missing cmap rendered the resulting pdf unsearchable. 	07/15/13	2M70045
2M70023	SUI WRKGSISPLF F5 Position Error <ul style="list-style-type: none"> o Pressing F5=Refresh for a second time on WRKGSISPLF and WRKGSIOUQT panels caused the panel to reposition to the top of the list. The error is corrected. 	08/23/13	
2M70024	SUI WRKGSIOUQT F5 Position Error <ul style="list-style-type: none"> o Pressing F5=Refresh for a second time on WRKGSISPLF and WRKGSIOUQT panels caused the panel to reposition to the top of the list. The error is corrected. 	08/23/13	
2M70025	PTX Add Unicode Complex Text Control Seq <ul style="list-style-type: none"> o Added processing for new control sequence x6A Unicode Complex Text (UCT). Previously message ID PTX0005 was issued. 	08/23/13	
2M70026	PDF Add Unicode Complex Text Control Seq <ul style="list-style-type: none"> o Added processing for new control sequence x6A Unicode Complex Text (UCT). Previously message ID PDF0016 was issued and the conversion failed. 	07/15/13	2M70045
2M70027	PDF *TRUETYPE Font W/ *EXACT Corrected <ul style="list-style-type: none"> o Imbedding *TRUETYPE fonts with text relative positioning *EXACT or *EXACTMOD produced erroneous results. 	07/15/13	2M70045
2M70028	PDF Map Unicode Complex Text To Builtin <ul style="list-style-type: none"> o Added mapping for new control sequence x6A Unicode Complex Text (UCT) to Adobe's built in fonts when the code points used are found in the available charater set and font imbedding is not specified. 	08/23/13	2M70045
2M70029	RTF Support Additional Microsoft CS/CP <ul style="list-style-type: none"> o RTF output enhanced to support additional CCSIDs. The new support and associated Microsoft character sets and codepages: Trg Microsoft Microsoft CCSID Character Set Code Page 	08/23/13	

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 4
 Release : V2R7M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
	874 222 Thai	874 Thai	
	942 128 Shift Jis	932 Japanese	
	949 129 Hangul	949 Korean	
	950 136 Big5	950 Traditional Chinese	
	1250 238 Eastern Europe	1250 Eastern Europe	
	1251 204 Russian	1251 Cyrillic	
	1252 0 ANSI	1252 Western Europe/US	
	1253 161 Greek	1253 Greek	
	1254 162 Turkish	1254 Turkish	
	1255 177 Hebrew	1255 Hebrew	
	1256 178 Arabic	1256 Arabic	
	1257 186 Baltic	1257 Baltic	
	1258 163 Vietnamese	1258 Vietnamese	
	1381 134 GB2312	936 Simplified Chinese	
2M70030	PID RTVGSIPTF Fails At Load/Apply o Incorrectly declared variable prevented RTVGSIPTF command from loading and applying PTFs.	08/23/13	2M70042
2M70031	FNT FTD Applied Inappropriately o FTD font descriptor size values were being applied to non-scalable fonts giving incorrect font sizes.	11/13/13	2M70044
2M70032	SM1 Missing Diagnostic Message o Diagnostic message was removed but the error return wasn't resulting in hard to diagnose problem with open spooled files and invalid page ranges.	02/17/14	2M70034
2M70033	SM1 Corrected PAGERANGE(*SPLF) Processing o Corrected PAGERANGE(*SPLF) processing.	02/24/14	2M70034
2M70034	SM1 Corrected PAGERANGE(*SPLF) Processing o Corrected PAGERANGE(*SPLF) processing.	02/27/14	
2M70035	MOD Page Position Information Mishandled o Incorrect processing of Begin Page's Page Position Information triplet resulted in wrong overlay applied to page in some instances.	05/22/14	
2M70036	PDF Misconstructed Page Content o Under reasonably convoluted conditions involving multiple overlays on a page, the page content construction was mishandled resulting in malformed pages contents. In the example from the problem report, the printed content was missing.	05/28/14	2M70045

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 5
 Release : V2R7M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
2M70037	FNT Reissue Service Program o Service program recompiled and reissued.	12/19/15	2M70044
2M70038	PDF Reissue Service Program o Service program recompiled and reissued.	12/19/15	2M70045
2M70039	SND Attachment Name With M\$ "\" o Attachment file name incorrect when object specified using window path separator character ("\"") instead of IFS path separator character ("/").	01/18/16	2M70047
2M70040	PDF Intelligent Mail BARCODE Error o Incorrect data in an internal Intelligent Mail table resulted in invalid barcodes being generated something like 1.5% of the time.	10/05/16	2M70045
2M70041	PID Message File Updates o Add new application messages to message file for future enhancement.	10/09/17	
2M70042	PID Upgrade RTVGS IPTF Command o Previously, the Retrieve Gumbo PTF (RTVGS IPTF) command downloaded PTFs using the FTP protocol. Now RTVGS IPTF uses HTTP. Additionally, RTVGS IPTF can access the PTF server through a proxy server, if required by your network, using the new PROXY() parameter.	10/10/17	

.
 We anticipate that some installations' networks will have problems accessing the PTF server over HTTP. On a temporary basis, RTVGS IPTF has introduced a PROTOCOL() parameter that allows you to switch back to the old FTP behavior while correcting problems with HTTP service. This parameter will ultimately be removed along with support for FTP as a transport mechanism.

.
COMPATIBILITY WARNING

.
 HTTP is now the default protocol for PTF retrieval. If your network restricts HTTP access or if a proxy is required for HTTP access the RTVGS IPTF command will fail. If a proxy is required you must fill in the PROXY() parameter. Otherwise you will have to specify PROTOCOL(*FTP) while you resolve

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 6
 Release : V2R7M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
2M70043	problems with HTTP access on your network. PID Update Field Fix Manager o Added field fix manager processing to delete resolved font resource users spaces, if requested by a PTF, in order to force regeneration.	08/24/18	
2M70044	FNT Remove Type1 Marker Fields o Type 1 font resolution now strips marker fields from the font program resulting in a pure pfb. This resolves a complaint from more recent PDF/A validators such as veraPDF, . NOTE: Previously resolved font resources are moved to QRPLOBJ during application of this PTF in order to force their recreation.	08/24/18	
2M70045	PDF A PDF/A Validator Complains o Some PDF/A validators complain that "The XMP property 'xmp:CreateDate' is not synchronized with the document information entry 'CreationDate'." Code was changed to avoid the less liberal interpretation.	08/24/18	
2M70046	IFS New Export Added o New function to open (create) a file based on CCSID instead of CPGID added. This facilitates control over the created file's CCSID attribute.	11/06/18	
2M70047	SND File Open Change o Now uses IfsOpenCcsid().	11/06/18	

* * * * * E n d O f L i s t * * * * *