

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 1
 Release : V2R9M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status Date</u>	<u>Superseded By</u>
2M90ALL	Cumulative PTF Package Last Updated 2018/11/07		
2M90001	FNT Unknown Code Page Handling Corrected o Missing code page font resource no longer causes the process to fail, a substitute is used instead. This restores the previous behavior. o Default code page selection enhanced to be sensitive to the spooled file's encoding.	01/15/15	2M90054
2M90002	PDF TrueType With Code Page Corrected o When a TrueType font was specified with a code page font resource, the generated PDF contained incorrect data, unicode mapping and font subset.	01/15/15	2M90050
2M90003	PDF Merge TrueType Subsets o Multiple copies of a single TrueType font, with different subsets, were generated when the font was specified in different ways. Now the subsets are combined into single copy and overall file size is reduced. o Horizontal scaling of the underscore character was performed incorrectly when rendering PTOCA underscored text.	02/05/15	2M90050
2M90004	SM1 Expand PCFILE() To 64 o SNDSPLMAIL command's PCFILE() parameter was expanded from a maximum length of 32 to a maximum length of 64. No recompile is needed.	02/08/15	2M90036
2M90005	FNT *SCS Scalable Fonts Mishandled o The font size derived from *SCS spooled file which specifies a scalable font was incorrect.	03/31/15	2M90054
2M90006	PDF *SCS Scalable Fonts Mishandled o The font size derived from *SCS spooled file which specifies a scalable font was incorrect.	04/13/15	2M90050
2M90007	PDF *TRUETYPE DBCS On Handheld Devices o Imbedded *TRUETYPE fonts used with DBCS data displays correctly in Adobe Reader but does not display in other context such as handheld due to malformed CIDFont declaration.	04/20/15	2M90050
2M90008	PDF *TRUETYPE SBCS On Handheld Devices o Imbedded *TRUETYPE fonts used with SBCS data displays correctly in Adobe Reader but does not display in other context such as handheld due to malformed encoding cmap.	04/21/15	2M90050

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. **Page** 2
 Release : V2R9M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
2M90009	SUI WRKGSISPLF/WRKGSIOUQ Slow Response Time <ul style="list-style-type: none"> o WRKGSISPLF and WRKGSIOUQ were slow to respond to page down requests. 	04/29/15	2M90021
2M90010	PDF A PDF/A Validator Complains <ul style="list-style-type: none"> o Some PDF/A validators complain that "The XMP property 'xmp:CreateDate' is not synchronized with the document information entry 'CreationDate'." Code was changed to avoid the less liberal interpretation. 	05/09/15	2M90050
2M90011	SM1 SPLNBR(*ANY) Doesn't Work <ul style="list-style-type: none"> o SNDSPLMAIL command's SPLNBR() parameter special value *ANY doesn't work and generates an error. 	07/09/15	2M90036
2M90012	SPL QGSLRSC Fails For Duplicate Splf <ul style="list-style-type: none"> o Generating a resource list using QGSLRSC failed when processing a spooled file that has a duplicate on the system. QGSLRSC is now called using the system's internal IDs for the job and spooled file and the problem avoided. 	07/10/15	
2M90013	FNT QGSLRSC Fails For Duplicate Splf <ul style="list-style-type: none"> o Retrieving font file names using QGSLRSC failed when processing a spooled file that has a duplicate on the system. QGSLRSC is now called using the system's internal IDs for the job and spooled file and the problem avoided. 	07/10/15	2M90054
2M90014	FNT Unneeded TrueType Opens Failure <ul style="list-style-type: none"> o Resolving TrueType fonts failed to check for existing resolved reference resulting in a stack overflow and failed processing. 	08/25/15	2M90054
2M90015	PDF Clean Up Error <ul style="list-style-type: none"> o Two location in environment create error handling destroy a local copy of a pointer instead of the passed copy leading to a suspected error on a customer system when the passed copy is also destroyed. 	09/04/15	2M90050
2M90016	PDF Uninitialized Pointer <ul style="list-style-type: none"> o Uninitialized pointer caused clean up failure with MCH3601 under some error scenarios. 	09/10/15	2M90050
2M90017	FNT Reissue Service Program <ul style="list-style-type: none"> o Service program recompiled and reissued. 	12/19/15	2M90054

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 3
 Release : V2R9M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
2M90018	PDF Reissue Service Program o Service program recompiled and reissued.	12/19/15	2M90050
2M90019	SND Attachment Name With M\$ "\" o Attachment file name incorrect when object specified using window path separator character ("\") instead of IFS path separator character ("/").	01/18/16	2M90056
2M90020	PDF Portrait90/Landscape90 Incorrect o Portrait 90 and Landscape 90 orientation values on medium descriptors gave wrong results for *AFPDS spooled files. Orientation now derived from medium descriptor extents.	02/15/16	2M90050
2M90021	SUI WRKGSISPLF/WRKGSIOUQ Slow Open o WRKGSISPLF and WRKGSIOUQ were slow to open Selection check at the wrong point in the code resulted in poor performance on systems with many spooled files.	05/05/16	
2M90022	PDS Page Buffer Functions Added o Page buffer concept and supporting functions added. Page buffers allow out of sequence print data to be processed correctly by sequence oriented transforms such as txt, html, etc.	08/24/16	2M90032
2M90023	FNT Retrive CCSID Function Added o New export allows retrieval of a font stack entry's opinion on the current effective ccscid.	08/24/16	2M90054
2M90024	TXT Procening Improvements o *TXTxxx transforms now support out of sequence data in a print data stream. o *TXTxxx transforms now support mixed CCSID data in a print data stream. o *TXTxxx transforms now support complex over printing of DBCS data as well as other enhancements to overlap resolution.	08/24/16	2M90033
2M90025	SAM Add *TXTNONBLANK Transform o New text transform, *TXTNONBLANK, has been added. The transform compresses out all lines containing only white space. This processing is similar to that of the OS and i Access.	08/24/16	2M90036
2M90026	PDS Internal Mods To Increase Modularity o Internal modifications to increase modularity.	09/20/16	2M90032
2M90027	TXT Internal Mods To Increase Modularity o Internal modifications to increase modularity.	09/20/16	2M90033

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 4
 Release : V2R9M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
2M90028	PDF Intelligent Mail BARCODE Error <ul style="list-style-type: none"> o Incorrect data in an internal Intelligent Mail table resulted in invalid barcodes being generated something like 1.5% of the time. 	10/05/16	2M90050
2M90029	PDS Page Buffer Handle DBCS ES!=x1301 <ul style="list-style-type: none"> o Page buffering enhanced to handle DBCS data with encoding schemes other than x1301. 	10/10/16	2M90032
2M90030	FNT Always Produce Unicode Char Map <ul style="list-style-type: none"> o Processing enhanced to produce a unicode character map even in the absence of a code page *FNTRSC object. 	10/10/16	2M90054
2M90031	PDS Uninitialized Variable <ul style="list-style-type: none"> o Uninitialized variable causes *TXTxxx conversion failure when splitting the spooled file with PAGDTA() parameter. 	10/18/16	2M90032
2M90032	PDS New Export <ul style="list-style-type: none"> o New export added to improve space/memory management between service program and clients. 	11/18/16	
2M90033	TXT *FORMDEF/Text Suppression <ul style="list-style-type: none"> o *TXTxxx conversions now correctly process *FORMDEF print resources and correctly apply text suppression for *AFPDS spooled files. Previously text suppression was ignored and all text appeared in the generated output. 	11/18/16	
2M90034	HTM Various Enhancements <ul style="list-style-type: none"> o Built in css changed from tr { float: left; } to tr { float: none; } to yield uniform "page" sizes during display. o Support for *AFPDS print data streams added. o *HTMLxxx transforms now support out of sequence data in a print data stream. o *HTMLxxx transforms now support mixed CCSID data in a print data stream. o *HTMLxxx transforms now support complex over printing of DBCS data as well as other enhancements to overlap resolution. 	11/18/16	
2M90035	RTF Various Enhancements <ul style="list-style-type: none"> o Support for *AFPDS print data streams added. o *RTFxxx transforms now support out of sequence data in a print data stream. o *RTFxxx transforms now support mixed CCSID data in a print data stream. 	11/18/16	

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 5
 Release : V2R9M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status Date</u>	<u>Superseded By</u>
	<ul style="list-style-type: none"> o *RTFxxx transforms now support complex over printing of DBCS data as well as other enhancements to overlap resolution. o *RTFxxx transforms can now target CCSID *UNICODE and *UTF8. 		
2M90036	SAM Enable HTM/RTF for *AFPDS <ul style="list-style-type: none"> o Update conversion to enable *AFPDS processing by *HTMxxx and *RTFxxx transforms. 	11/18/16	
2M90037	FNT Enhanced Equal CharSet Test <ul style="list-style-type: none"> o Test for equal char sets enhanced to look at the underlying *FNTRSC and not the references, decreasing the number of false negatives. 	01/01/17	2M90054
2M90038	PDF *FGID Imbed Changes <ul style="list-style-type: none"> o Previously PDFFNTIMB(*FGID) looked for font resources in a list derived from the as shipped system font table. If no match was found, nothing was imbedded. Now if no match is found, Type 1 fonts present on every system are used. A font is always imbedded. o Previously multiple copies of a font imbedded for an FGID or for PDF/A might be included unnecessarily. Multiples are now avoided. 	01/01/17	2M90050
2M90039	SCS Invalid VCS Channel Ignored <ul style="list-style-type: none"> o Invalid channel number in SCS control VCS (vertical channel select) was treated as a fatal error. Now the control is ignored and processing continues. 	08/09/17	
2M90040	PID Message File Updates <ul style="list-style-type: none"> o Add new application messages to message file for future enhancement. 	10/09/17	
2M90041	PID Upgrade RTVGS IPTF Command <ul style="list-style-type: none"> o Previously, the Retrieve Gumbo PTF (RTVGS IPTF) command downloaded PTFs using the FTP protocol. Now RTVGS IPTF uses HTTP. Additionally, RTVGS IPTF can access the PTF server through a proxy server, if required by your network, using the new PROXY() parameter. <p>.</p> <p>We anticipate that some installations' networks will have problems accessing the PTF server over HTTP. On a temporary basis, RTVGS IPTF has</p>	10/10/17	

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 6
 Release : V2R9M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
	introduced a PROTOCOL() parameter that allows you to switch back to the old FTP behavior while correcting problems with HTTP service. This parameter will ultimately be removed along with support for FTP as a transport mechanism.		
	· COMPATIBILITY WARNING ·		
	HTTP is now the default protocol for PTF retrieval. If your network restricts HTTP access or if a proxy is required for HTTP access the RTVGSIPTF command will fail. If a proxy is required you must fill in the PROXY() parameter. Otherwise you will have to specify PROTOCOL(*FTP) while you resolve problems with HTTP access on your network.		
2M90042	PDF Suppress DBCS *TYPE3 Imbedding o Previously PDFFNTIMB(*TYPE3) could not be specified for DBCS spooled files as imbedding of DBCS fonts fails. Now DBCS fonts are bypassed and other DBCS fonts are imbedded.	10/31/17	2M90050
2M90043	FNT DBCS Length Calcs Corrected o Length and positioning were miscalculated for DBCS characters when processed in the presence of font resources. The old, correct, behavior has been restored.	11/08/17	2M90054
2M90044	FNT New Function Export o New export to allow retrieval of a font's Baseline Offset Default value.	11/12/17	2M90054
2M90045	PDF Correct Type3 Size For Mapping o Certain raster fonts (ex. C0S0CR12) contain a discrepancy between the stated point size and the 'Baseline offset default' value. Sizing an Adobe builtin font using point size gave a result that was 'too small'. When the values diverge we now use 'Baseline offset default' to calculate size for the builtin giving results that better approximate the printed page.	11/12/17	2M90050
2M90046	FNT Correct *PRV Signature o Correct *PRV signature.	11/14/17	2M90054
2M90047	PTX Track Overstrike/Underscore Positions	12/05/17	

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 7
 Release : V2R9M0
 As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status Date</u>	<u>Superseded By</u>
	<ul style="list-style-type: none"> o Added processing and macros to track and return start and end positions for overstrike and underscore. 		
2M90048	PDF Re-implement Underscoring <ul style="list-style-type: none"> o Previously underscoring was accomplished by 'printing' the underscore character (_). This method could produce length oddities. Underscoring has been re-implemented as as a graphic line with improved start and stop accuracy. 	12/05/17	2M90050
2M90049	FNT Improve Baseline Offset Default <ul style="list-style-type: none"> o Update Baseline Offset Default retrieval to use FND Nominal Height if it is larger than Baseline Extent Max. 	12/07/17	2M90054
2M90050	PDF /A Validation Failing <ul style="list-style-type: none"> o PDF/A file validation was failing for files that contained bookmarks and for files produced with TXTRELPOS(*EXACTMOD) when *TYPE3 fonts were used. These now validate. 	12/22/17	
2M90051	FNT mu/micro Naming Discrepancy <ul style="list-style-type: none"> o There is a naming discrepancy between IBM and Adobe regarding the mu/micro glyph. This caused the character to non-display in some circumstances. We have standardized on Adobe's view and the discrepancy is resolved. 	04/09/18	
2M90052	FNT PDF/A Fails After mu/micro Fix <ul style="list-style-type: none"> o PDF/A processing fails after mu/micro fix with message ids FNT0028 and PDF0125. The error is corrected. 	08/07/18	2M90054
2M90053	PID Update Field Fix Manager <ul style="list-style-type: none"> o Added field fix manager processing to delete resolved font resource users spaces, if requested by a PTF, in order to force regeneration. 	08/24/18	
2M90054	FNT Remove Type1 Marker Fields <ul style="list-style-type: none"> o Type 1 font resolution now strips marker fields from the font program resulting in a pure pfb. This resolves a complaint from more recent PDF/A validators such as veraPDF, 	08/24/18	
	. NOTE: Previously resolved font resources are		

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 8
Release : V2R9M0
As of : 2018-11-07

<u>PTF ID</u>	<u>Description</u>	<u>Status</u> <u>Date</u>	<u>Superseded</u> <u>By</u>
2M90055	IFS New Export Added moved to QRPLOBJ during application of this PTF in order to force their recreation. o New function to open (create) a file based on CCSID instead of CPGID added. This facilitates control over the created file's CCSID attribute.	11/06/18	
2M90056	SND File Open Change o Now uses IfsOpenCcsid().	11/06/18	

* * * * * E n d O f L i s t * * * * *

